

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaA: Barclay-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.21	Very limited Cutbanks cave	1.00
BaB2: Barclay-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 0.21	Very limited Cutbanks cave	1.00
Bp: Borrow Pits-----	95	Not rated		Not rated		Not rated	
Cb: Coastal Beaches----	100	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
DoB2: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
DoC2: Downer-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.52	Very limited Deep to water	1.00
Ek: Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.85	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone Piping	1.00 0.85	Somewhat limited Slow refill Cutbanks cave	0.30 0.10
Es: Elkton-----	50	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Somewhat limited Seepage	0.05	Piping	0.85	Cutbanks cave	0.10
				Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
Fa: Fallsington-----	50	Very limited Seepage	1.00	Piping	0.85	Cutbanks cave	0.10
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Ff: Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fg: Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fg: Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
Fallsington-----	50	Very limited Seepage	1.00	Seepage	0.09		
				Very limited Depth to saturated zone	1.00	Very limited Cutbanks cave	1.00
GaB: Galestown-----	100	Very limited Seepage	1.00	Seepage	0.54	Very limited Deep to water	1.00
GaC: Galestown-----	100	Very limited Seepage	1.00	Seepage	0.54	Very limited Deep to water	1.00
KmA: Keyport-----	100	Very limited Seepage	1.00	Seepage	0.68	Very limited Deep to water	1.00
				Depth to saturated zone	0.02		
KmB2: Keyport-----	100	Very limited Seepage	1.00	Piping	0.68	Very limited Deep to water	1.00
				Somewhat limited Depth to saturated zone			

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KmC2: Keyport-----	95	Very limited Seepage	1.00	Piping Somewhat limited Depth to saturated zone Piping	0.02 0.68 0.02	Very limited Deep to water	1.00
KmD: Keyport-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Depth to saturated zone Piping	0.68 0.02	Very limited Deep to water	1.00
KpA: Keyport-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.02	Very limited Deep to water	1.00
KpB2: Keyport-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.02	Very limited Deep to water	1.00
KsC3: Keyport-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Piping	0.68 0.02	Very limited Deep to water	1.00
KsD3: Keyport-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Depth to saturated zone Piping	0.68 0.02	Very limited Deep to water	1.00
Ky: Klej-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.33	Very limited Cutbanks cave	1.00
Ma: Madeland-----	95	Not rated		Not rated		Not rated	
MkA: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MkB2: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MkC2: Matapeake-----	100	Very limited		Somewhat limited		Very limited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MkD: Matapeake-----	100	Seepage	1.00	Seepage	0.12	Deep to water	1.00
		Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MlA: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MlB2: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MlC2: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MlC3: Matapeake-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MlD3: Matapeake-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.12	Very limited Deep to water	1.00
MpA: Mattapex-----	100	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Deep to water	1.00 0.02
MpB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Deep to water	1.00 0.02
MxA: Mattapex-----	100	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Deep to water	1.00 0.02
MxB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Deep to water	1.00 0.02
My: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Oh: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Cutbanks cave	1.00
Ot: Othello-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Cutbanks cave	1.00
Pe: Plummer-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.52	Very limited Cutbanks cave	1.00
Pk: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.06	Very limited Cutbanks cave	1.00
Pm: Pocomoke-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.06	Very limited Cutbanks cave	1.00
Pt: Portsmouth-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.50	Very limited Cutbanks cave	1.00
SaA: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SaB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SaC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SaC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SaD: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaD3: Sassafras-----	100	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SfA: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SfB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SmA: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SmB2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SmC2: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
SmC3: Sassafras-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Very limited Deep to water	1.00
St: Steep Land-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WdA: Woodstown-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WdB2: Woodstown-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WfA: Woodstown-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoA: Woodstown-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07
WoB2: Woodstown-----	100	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Deep to water	1.00 0.07

